



## Casein-Meat Peptone E2 19501

**Organotechnie® S.A.S.**

27, avenue Jean Mermoz  
93120 La Courneuve, France  
Tél : +33 (0) 1 49 92 87 50  
Fax : +33 (0) 1 49 92 87 51

e-mail : [info@organotechnie.com](mailto:info@organotechnie.com)  
web : [www.organotechnie.com](http://www.organotechnie.com)

Certificate of Suitability n° R1-CEP 2000-120 Rev 01 - Eur. Ph. - Monography 1483

### Definition

Casein-Meat Peptone E2 is manufactured by a controlled enzymatic hydrolysis of casein and animal tissues.

### Description

Fine cream powder easily soluble in water.

Casein-Meat Peptone E2 contains a mix of peptides and free amino acids.

### Use

Source of organic nitrogen recommended in media for:

- Analytical microbiology
- Industrial fermentation.

### Physico-chemical characteristics

	Standard
Solubility in water at 5 %	Complete
pH (5 % solution)	6.0 - 7.0
Loss on drying	≤ 6.0 %
Total nitrogen TN	12.6 - 13.8 %
α-amino nitrogen AN	3.3 - 4.3 %
AN/TN x 100	24 - 35
Residue on ignition	≤ 14 %
Chloride (as NaCl)	≤ 7 %

### Microbiology

	Standard
Total aerobic microbial count	≤ 10 000 /g
Coliforms	≤ 10 /g
<i>Escherichia coli</i>	Absence /g
<i>Salmonella</i>	Absence / 25 g
<i>Staphylococcus aureus</i>	Absence / 10 g
Yeasts and moulds	≤ 20 /g



The information contained in this publication is based on our own research and development work and is to the best of our knowledge true and accurate.

Users should, however, conduct their own tests to determine the suitability of our products for their own specific purposes.

Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for the infringement of any patents.

# Casein-Meat Peptone E2 / 19501


Edition 02/2013  
Replace Ed. 04/2008



Organotechnie S.A.S.


## Typical data

Molecular weight distribution	g / 100 g
> 10 000 daltons	0.8
1 000 - 10 000 daltons	21.5
500 - 1 000 daltons	27.7
300 - 500 daltons	26.5
< 300 daltons	23.5
<b>Average Molecular Weight</b>	<b>1 105 daltons</b>



Molecular weight distribution

Amino Acids		Total - T (g/100 g)	Free - F (g/100 g)	F/T x 100
Alanine	Ala	3.5	0.5	14.3
Arginine	Arg	4.6	2.8	60.9
Aspartic acid	Asp	6.0	0.2	3.3
Cystine	Cys	0.8	0.2	25.0
Glutamic acid	Glu	16.4	0.6	3.7
Glycine	Gly	3.9	0.2	5.1
Histidine	His	2.6	0.5	19.2
Isoleucine	Ileu	3.8	0.9	23.7
Leucine	Leu	5.6	3.7	66.1
Lysine	Lys	6.9	3.3	47.8
Methionine	Met	2.9	0.8	27.6
Phenylalanine	Phe	3.7	2.0	54.1
Proline	Pro	7.8	0.2	2.6
Serine	Ser	4.5	0.5	11.1
Threonine	Thr	3.5	0.6	17.1
Tryptophan	Trp	0.8	0.7	87.5
Tyrosine	Tyr	1.1	0.2	18.2
Valine	Val	5.1	0.9	17.6



Amino Acids F/T x 100

## Documentation

The certificate of analysis and the sanitary certificate are supplied with each delivery.

## Packing and storage

25 kg net corrugated board box with inner polyethylene bags.

Upon request: 5 kg plastic drum.

Keep in original packaging closed when not in use,  
at room temperature in a dry area.

Hygroscopic product.

Best before: 5 years.

## Health and safety information

Dusty powder.

Avoid inhalation.

The information contained in this publication is based on our own research and development work and is to the best of our knowledge true and accurate.

Users should, however, conduct their own tests to determine the suitability of our products for their own specific purposes.

Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for the infringement of any patents.